



Authorized Dealer:
 Global Sales Group, LLC
 P.O. Box 1835 * Chico, CA 95927
 Toll Free: 877-474-5521
 Office: 530-893-2444
 www.globalsalesgroupllc.com



CS-18L



CS-24L



CS-30L


CS-18L 18" Pneumatic Cut Off Saw
CS-24L 24" Pneumatic Cut Off Saw
CS-30L 30" Pneumatic Cut Off Saw

Optional:

- AF-08 8' AUTO PROGRAMABLE STOPS
PUSHER
- RT-08 8' OUTFEED ROLLS TABLE 3 FLIP
STOPS
- RT-8 8' INFEED ROLLS TABLE

Features:




- Semi-automatic, fast cutting.
- Auto cutting cycle simply operated by foot switch.
- Saw blade move up & Down: CS-18 & 24 are operate by pneumatic air, CS-30 is operate by hydraulic power to achieve the faster, powerful and smooth cutting cycle
- Sealed long-life ball bearings.
- Full 10 or 15 HP motor for powerful cutting capacity.
- Precision ground cast iron table with heavy metal cabinet stand.
- Easy operation for furniture, lumber, door, pallet or other manufacturing.
- Clamp and guard automatically holds the lumber within cutting period and release it after cutting.
- Saw blade rises from under the table and returns right after cutting for safety operation.
- Magnetic control with overload protection.




SPECIFICATIONS	CS-18L	CS-24L	CS-30L
Cutting Capacity	4 1/4" x 10"	8" x 11"	9-1/2" x 9-1/2"
	2 1/4" x 12 1/4"	6" x 14"	7-5/8" x 15-3/4"
	1 1/2" x 12 1/2"	4" x 16"	6" x 20-7/8"
	1/2" x 13 1/2"	2" x 17"	2" x 26-3/4"
Designed Cutting	45 Cycles/Min.	36 Cycle/Min.	28 Cycle/Min.
Saw Blade Diameter	18"	18" ~ 24"	30"
Saw Arbor	1"	1"	2"
Saw Blade Speed (RPM)	3200	2400	1800
Air Pressure	90 PSI	90 PSI	90 PSI
Dust Hood	4"	4"	4"
Motor	10 HP 3 PH 230V	10 HP 3 PH 230V	15 HP 3 PH 230V
Machine Size (W x L)	30"X 28 1/2"	51" X 43"	41" X 56"
N.W.	730 LBS	1360 LBS	2280 LBS
G.W.	800 LBS	1670 LBS	2480 LBS

(Training and installation, tooling & rigging are optional)
 (Customer is responsible for local regulations and connecting utilities)

CS-24L Cutting Capacity Chart



Optional: Infeed, Out-feed Rollers Table



Auto Program Saw




Safety Cover with Two Palm Operate Switch



CS-18 18" Cut off Saw



CS-24 24" Cut off Saw



Optional In & Out Feed roller Table